

Sanyo PLC XP40E/L

SANYO PLC XP40E/L



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

The Sanyo PLC XP40E/L LCD projector has 2600 Ansi lumens, a contrast of 500:1 and an XGA 1024 x 768 resolution. The integrated lens shift gives freedom when positioning the projector. The projector can illuminate an image width of up to 444 cm thanks to its 2600 Ansi lumens. In room lighting, however, the image width should ideally be less than 296 cm. On the market since 2001, the model is no longer offered by the manufacturer Sanyo.



3 x 1,3" LCD TFT Panel

XGA 4/3 Liquid Crystal Display

Projector

2600

500:1 full on/off

5,2000 min. Lumen

Screen

Vert.: +50% -0%

XGA 1024 x 768

786.432 Pixel

SXGA 1280 x 1024 compressed

PAL, SECAM, NTSC, NTSC4.43, PAL-M/N HDTV 1080i, 720p 480p 1035i

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Medium screen width or rooms with little light, max. 100 lumens.

200W UHP Lamp

Articel Nr.: 610 293 5868 / 610 325 2940

2000 h.

-

Powered

Powered 1,29

F=1,7-2,0 f=48,2-62,2 mm

1,7-2,3:1

2W Stereo

1 x D-sub 15pin in

1 x DVI Eingang

1 x Audio Mini-Jack Eingang


5 x BNC Eingang

1 x Audio Mini-Jack Eingang

1 x RCA x 3 (Y/Video, Pb/Cb, Pr/Cr) Eingang

1 x S-Video in

1 x USB Eingang



Ceiling Mounting
Power
Size WxHxD
Operating Noise

1 x Control Port Eingang
R/C Fernbedienung Mini Jack Eingang
Yes
300W
319 x 168 x 430 mm (12,6"x6,6"x16,9") 23,04 L/dm³
37dB

Weight
Keystone
Illumination
Frequenz
Foot-Lamberts
Features

7,50 kg / 16,53 lbs.
Vert.: +/-40°
90%
H-sync: 15-100 kHz
V-sync: 50-100 Hz
Range max.: 180 MHz
78 fL / max. 444 cm screen width
267 cd/m²

- Lens shift Funktion
- Freeze
- Eco Mode
- Kensington Slot
- Gamma correction
- Remote control with laser pointer
- Digital Zoom
- 3D-AUCC
- Adapts to all mains voltages.
- No lens included with the XP40L

Optional

Philips bulb only	NLMP3422
Lamp ruby	Ruby-LMP3422
Lamp original	610-325-2940 / LMP99 / 610-293-5868 / LMP38
Compatible lamp	LMP-K1356
Universal Remote original	Fernb-uni-V3
Object lens original	ET-SW31A / LNS-W31A
Object lens original	ET-ST32 / LNS-T32
Object lens original	ET-ST31A / LNS-T31A
Remote control original	645 048 1888 / CXJL
Air filter (big) original	POA-FIL-130-g / 910 303 8774
Air filter (small) original	POA-FIL-130-k / 910 303 8781
Ceiling Mount 100-120	Halterung100

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n3422>

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
Sanyo LNS-W31A	1.26-1.81:1	2.6-3.7 m	50%		Powered
Sanyo LNS-T32	4.12-5.56:1	8.4-11.3 m	50%		Powered
Sanyo LNS-T31A	2.31-4.19:1	4.7-8.5 m	50%		Powered
Fix Optional Lenses					
Sanyo LNS-W32	0.81:1	1.6 m	0.0% Fix		No Zoom
Status	2001 Discontinued (EOL) // Last update of the data: 2023-08-04				

Data



More Details



HCinema

<https://www.projector-database.com/pro/sanyoplcp40-en.html>



