

Sanyo PLV 70

SANYO PLV 70



The PLV 70 LCD has 2200 Ansi lumens, a contrast of 900:1 and a WXGA 1366 x 768 resolution. The projector also offers a lens shift function that makes image adjustment childs play. 2200 Ansi lumens ensure that a picture width of 477 cm is also possible. However, if room light is available, the picture should be max. 318 cm wide. This model is no longer offered by Sanyo.

Brief Introduction

Beta 2.5

Display Type



3 x 1,21" LCD TFT Panel mit MLA
WXGA 16/9 Liquid Crystal Display with Micro Lense Array

Ansi-Lumen

2200

949 Lux (bei 203 cm Screen)

Contrast

900:1 full on/off

900:1 full on/off

Black Level

2,4444 min. Lumen

1.057 min. Lumen

Lens shift

Vert.: +64% -0%

Resolution

WXGA 1366 x 768
3147264 Pixel

Video Modes

PAL, Secam, NTSC, NTSC 4.3, PAL-M, PAL-N HDTV 1080i, 720p, 480p

Disc Recognition

DVD | HD Blu-ray (komprimiert) | 3D Blu-ray | 4K UHD Blu-ray

Application

Homecinema | Medium screen width or rooms with little light, max. 100 lumens.

Light Source

200W UHP Lamp

Light Life

Articel Nr.: 610 293 5868 / 610 325 2940
1500 h.

Operating Costs

-

Focus

Powered

Zoom

Powered 1,29

Objective

F=1,8-2,1 f=48,4-62,8 mm

Throw Ratio

1,75-2,30:1

Audio


2 x2W Stereo

Connections

DVI-D in
D-sub 15pin in
YUV in
Cinch Video in
Cinch Stereo in
5 x BNC RGBHV in
S-Video in
RS232C
Mini Jack in

Ceiling Mounting

Yes



Power 300W
Size WxHxD 319 x 168 x 429,5 mm (12,6"x6,6"x16,9") 22,99 L/dm³
Operating Noise 37dB

Weight 7,90 kg / 17,42 lbs.
Keystone Vert.: +/-20°
Hori.: +/-10°
Illumination 90%

Frequenz Range max.: 140 MHz


Foot-Lamberts 88 fL / max. 477 cm screen width
302 cd/m²

- Lens shift Funktion
- Freeze
- Eco Mode
- Kensington Slot
- Gamma correction
- Remote control with laser pointer
- Digital Zoom
- ColorManagement System
- De-interlacer
- 3D-Noise filter
- 10-Bit digital Gamma correction

In Test -
Please note Lens shift Angabe in der Bedienungsanleitung stimmt nicht.

- Philips bulb only NLMP3422
- Lamp ruby Ruby-LMP3422
- Lamp original 610-325-2940 / LMP99 / 610-293-5868 / LMP38
- Compatible lamp LMP-K1356
- Universal Remote original Fernb-uni-V3
- Object lens original ET-SW31A / LNS-W31A
- Object lens original ET-ST32 / LNS-T32
- Object lens original ET-ST31A / LNS-T31A
- Remote control original 645 052 6640 / CXLK
- Air filter (big) original POA-FIL-130-g / 910 303 8774
- Air filter (small) original POA-FIL-130-k / 910 303 8781
- Ceiling Mount 100-120 Halterung100

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n3482>



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
Sanyo LNS-W31A	1.23-1.78:1	2.5-3.6 m	50%		Powered
Sanyo LNS-T32	4.46-6.23:1	9.1-12.6 m	50%		Powered
Sanyo LNS-T31A	2.29-4.13:1	4.6-8.4 m	50%		Powered
Fix Optional Lenses					
Sanyo LNS-W32	0.8:1	1.6 m	0.0% Fix		No Zoom
Status	2002 Discontinued (EOL) // Last update of the data: 2023-08-04				





HCinema

<https://www.projector-database.com/pro/sanyoplv70-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.