

Sanyo PLV 75/L

SANYO PLV 75/L



Brief Introduction

Beta 2.5

Display Type



3 x 1,21" LCD TFT Panel
WXGA 16/9 Liquid Crystal Display

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Disc Recognition

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

2200

900:1 full on/off

2,4444 min. Lumen

Vert.: +64% -0%

WXGA 1366 x 768

1.049.088 Pixel

SXGA 1280 x 1024 compressed

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

DVD | HD Blu-ray (komprimiert) | 3D-Blu-ray | 4K-UHD-Blu-ray

Homecinema | Medium screen width or rooms with little light, max. 100 lumens.

200W UHP Lamp

Articel Nr.: 610 293 5868 / 610 325 2940

1500 h.

-

Powered

Powered 1,3

F=1,8-2,1 f=48,4-62,8 mm / L optional

1,82-2,36:1


2 x 2W

DVI-I
D-sub 15pin in
5 x BNC RGBHV in
Cinch Video in
Cinch Stereo in
S-Video in
Mini Jack
USB
RS232C Din 9pin

978 Lux (bei 200 cm Screen)

900:1 full on/off

1,089 min. Lumen





Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
300W
319 x 168 x 429 mm (12,6"x6,6"x16,9") 22,99 L/dm³
35dB

Weight
Keystone
Illumination
Frequenz
Foot-Lamberts

7,90 kg / 17,42 lbs.
Vert.: +/-40°
Hori.: +/-10°
90%
H-sync: 15-100 kHz
V-sync: 50-100 Hz
Range max.: 140 MHz
91 fL / max. 477 cm screen width
312 cd/m²

- Full HD 1080P compatible
- Lens shift Funktion
- Freeze
- User logo
- Eco Mode
- Kensington Slot
- Gamma correction
- Remote control with backlight
- Optional Wi-Fi network compatible.
- Optional LAN network compatible.
- Digital Zoom
- Colour Management System
- De-interlacer
- 3D noise filter
- 10-bit digital gamma correction


Features

Please note

Wird nicht in Deutschland angeboten.
Lens shift Angabe in der Bedienungsanleitung stimmt nicht.

Philips bulb only	NLMP3422
Lamp ruby	Ruby-LMP3422
Lamp original	610-325-2940 / LMP99 / 610-293-5868 / LMP38
Compatible lamp	LMP-K1356
Universal Remote original	Fernb-uni-V3
Object lens original	ET-SW31A / LNS-W31A
Object lens original	ET-ST31A / LNS-T31A
Air filter (big) original	POA-FIL-130-g / 910 303 8774
Air filter (small) original	POA-FIL-130-k / 910 303 8781
Ceiling Mount 100-120	Halterung100

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=n4848>



Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
Sanyo LNS-W31A	1.2-1.8:1	2.4-3.6 m			Powered
Sanyo LNS-T31A	2.4-4.1:1	4.8-8.2 m			Powered
Fix Optional Lenses					
Sanyo LNS-W32	0.79:1	1.6 m			No Zoom

Status 2005 Discontinued (EOL) // Last update of the data: 2023-08-04

Data



More Details



HCinema

<https://www.projector-database.com/pro/sanyoplv75-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.