

Sharp XG P20XE/U

SHARP XG P20XE/U



Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

Ceiling Mounting

The XG P20XE/U LCD projector from Sharp has 3300 Ansi lumens, a contrast of 600:1 and an XGA 1024 x 768 resolution. The projector also offers a lens shift function, which makes setting up the image childs play. The projector will be able to illuminate a picture width of 500 cm well. However, if room light is available, the image width should ideally not exceed 333 cm. It was launched in 2001 and is no longer offered by the manufacturer Sharp.



3 x 1,3" LCD TFT Panel
XGA 4/3 Liquid Crystal Display

Projector

3300
600:1 full on/off
5,5000 min. Lumen
Vert.: +50% -0%

Screen

XGA 1024 x 768
786.432 Pixel

Video Modes

UXGA 1600 x 1200 compressed
PAL, SECAM, NTSC, DTV 480i, 480P, 1.024i, 1.024p, 720p
Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Application

Medium screen width or rooms with a little more ambient light, max. 200 lumens.

Light Source

220W UHP Lamp

Light Life

Article Nr.: RLMPF0072CEZZ
1500 h.

Operating Costs

-

Focus

Powered

Zoom

Powered 1,3

Objective

F=1,7-2,3 f=49,1-63,9 mm

Throw Ratio


1,86-2,42:1

Audio

2 x 2W
DVi, 15pin
D-Sub (1x Eingang,
1x Ausgang,
5x BNC (RGBHV, YuV, RGSB, RGB)
4pin Y/C, FBAS Cinch
RS 232 C Ein/Ausgang,
USB-Eingang (Maus)
Yes, is possible.

Screen

1100 Lux (200 cm Screen width)
600:1 full on/off
1,843 min. Lumen



Power 330W / 1,8W standby
Size WxHxD 322,5 x 188 x 438 mm (12,7"x7,4"x17,2") 26,51 L/dm³
Operating Noise 33dB

Weight 9,50 kg / 20,94 lbs.
Keystone Vertical
Illumination -

Frequenz H-sync: 15-126 kHz
V-sync: 43-200 Hz

Foot-Lamberts 102 fL / max. 500 cm screen width
349 cd/m²

- Features
- Lens shift Funktion
 - Freeze
 - User logo
 - Kensington Slot
 - Gamma correction
 - Digital image shift
 - Password protection
 - Remote control with mouse control
 -

Screen Mirroring -



Optional accessories

	Lampe Ruby	Ruby-LMP3690	128,10 €
	Lampe Ruby	Ruby-LMP3689	128,10 €
	Lampe Original	BQC-XGP20X/1	EOL €
	Nackte Lampe Original	RLMPF0072CEZZ	EOL €
	Kompatible Lampe	LMP-K3690	69,21 €
	Kompatible Lampe	LMP-K3689	69,21 €
	Universal Fernbedienung	Fernb-uni-V3	22,31 €
	Luftfilter Original	PFILD0080CEZZ	EOL €
	Deckenhalterung 100-120	Halterung100	47,86 €

Optional Lenses



Name	Ratio	Distance	Shift V	Shift H	Zoom
AN-P48EZ	4.6-6.1:1	920-1220 m			Powered
AN-T6EZ	2.5-3.3:1	500-660 m	50%		Powered
AN-W6EZ	1.3-1.7:1	260-340 m	50%		Powered
AN-P9MX	0.9:1	180 m	50%		No Zoom

Status 2001 Discontinued (EOL) // Last update of the data: 2026-06-09

Data



More Details

HCinema

<https://www.projector-database.com/pro/sharpxgp20xe-en.html>

