

Sony VPL-FHZ131L/B/W

SONY VPL-FHZ131L/B/W



The VPL-FHZ131L/B/W LCD has 13000 Ansi lumens and a resolution. With the lens shift function, the projector can be positioned very freely. The projector can illuminate images up to 1158 cm wide thanks to the 13000 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 772 cm. It is also Full HD 1080P compatible.



3 x LCD TFT Panel
WUXGA 16/9 Liquid Crystal Display

Projector

13000

-

-

Vert.: +/-107% Hori.: +/-57%

Resolution WUXGA 1920 x 1200 2.304.000 Pixel

Video Modes Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, EDTV 480p, 576p

Application Event | Very large screen width and rooms with plenty of light and shaded daylight.

Light Source Laser

-

Screen

5778 Lux (bei 200 cm Screen)

-

-

Brief Introduction

Beta 2.5

Display Type

Ansi-Lumen

Contrast

Black Level

Lens shift

Resolution

Video Modes

Application

Light Source

Light Life

Operating Costs

Focus

Zoom

Objective

Throw Ratio

Audio

Connections

0,00 € Laser

Powered


Powered

optional

optional

No

HDMI in
DVI-D mit HDCP: v1.4 in
D-sub 15pin in und out
5 x BNC RGBHV in
USB Typ A in
RS232C Din 9 pin in
RJ45 in
2 x 3G-SDI





Ceiling Mounting
Power
Size WxHxD
Operating Noise

Yes
1033W
544 x 205 x 564 mm (21,4"x8,1"x22,2") 62,9 L/dm³
42 / 39 dB in Eco Mode

Weight
Keystone
Illumination

27,00 kg / 59,52 lbs.
Vert.: +/-30°
Hori.: +/-30°
-

Frequenz
Foot-Lamberts

H-sync: 15-92 kHz
V-sync: 48-92 Hz
537 fL / max. 1158 cm screen width
1840 cd/m²


Features

- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- Lan network compatible.

Optional

- Object lens original VPLL-Z4111
- Object lens original VPLL-Z4107
- Object lens original VPLL-Z4025
- Object lens original VPLL-Z4015
- Remote control original 149289111 / RM-PJ27 / 148909211 / RM-PJ19

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=hc36880>



Optional Lenses

Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
VPLL-Z4111	1.3-1.96:1	2.6-3.9 m	+/-98%	+/-51%	Powered
VPLL-Z4107	0.75-0.94:1	1.5-1.9 m	+/-50%	+/-24%	Powered
VPLL-Z4045	5.56-7.5:1	11.1-15 m	+/-107%	+/-57%	Powered
VPLL-Z4025	3.02-5.58:1	6-11.2 m	+/-107%	+/-57%	Powered
VPLL-Z4019	2.41-3.07:1	4.8-6.1 m	+/-107%	+/-57%	Powered
VPLL-Z4015	1.85-2.44:1	3.7-4.9 m	+/-99%	+/-51%	Powered

Fix Optional Lenses

VPLL-4008	1:1	2 m	+/-32%	+/-15%	No Zoom
-----------	-----	-----	--------	--------	---------

Status

2020 Current model // Last update of the data: 2023-09-20
Created: 2020-02-12 11:03:26

Data





HCinema

<https://www.projector-database.com/pro/sonyvplfhz131l-en.html>

More Details

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.