## Viewsonic PJ402D





**Brief Introduction** Beta 2.5

Display Type

Resolution

Light Source

Connections

1 x 0,55" DLP Chip SVGA 4/3 Ti Digital Light Processing Chip

Ansi-Lumen Contrast Black Level Offset

1600

2000:1 full on/off 0,8000 min. Lumen

SVGA 800 x 600 480,000 Pixel

by Viewsonic.

UXGA 1600 x 1200 compressed

Video Modes PAL, SECAM, NTSC, HDTV 720p, 1080i, EDTV 480p, 576p

Standard-Portabel | External training and company presentations, as well as product

The Viewsonic model PJ402D is a DLP projector with SVGA 800 x 600 resolution and a contrast of 2000:1. An image width of up to 348 cm is possible. However, the image should be

smaller in room light. We recommend max. 232 cm. The model built in 2005 is no longer offered

ω518 Lux (bei 203 cm Screen)

2000:1 full on/off 0.259 min. Lumen

presentations. Application

Small screen width, rooms with very little ambient light below 100 lumens.

200W UHB Lamp Articel Nr.: RLC-001

2000 h. Light Life

**Operating Costs** 

**Focus** Manual

Zoom Manual 1,2

Objective

**Throw Ratio** 

Audio 1 x 2W Mono

> D-sub 15pin in Cinch Video in S-Video in Mini Jack

**RS232C** Ceiling Mounting Yes

Power 250W

Size WxHxD 253 x 97 x 201 mm (10"x3,8"x7,9") 4,93 L/dm3

**Operating Noise** 

Weight 2,10 kg / 4,63 lbs. Keystone Vert.: +/-15° Illumination

H-sync: 31-97 kHz Frequenz V-sync: 50-85 Hz

Foot-Lamberts 48 fL / max. 348 cm screen width

Lux:518 Lux Room light max.: 104 Lux Candela pro m<sup>2</sup>:164 cd/m<sup>2</sup> Foot-Lamberts:48 fL 4/3 screen width:203 cm Screen:1 Gain

164 cd/m<sup>2</sup>

■ Blank (Black screen button) Features

■ Gamma correction

■ De-interlacer with 3:2 pull down

Bulb only **NLMP4556** 

Lamp ruby Ruby-LMP4556

Lamp original **RLC-014** Optional

> Compatible lamp LMP-K4556

Universal Remote original Fernb-uni-V3

Order here: https://www.hcinema.de/lampen/shop-en.php?id=n5045

2005 Discontinued (EOL) // Last update of the data: 2023-08-04

Status Data

More Details





Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.