

Vivitek DU6871



VIVITEK DU6871



The Vivitek model DU6871 is a DLP projector with WUXGA 1920 x 1200 resolution and a contrast of 3000:1. The built-in lens shift and keystone correction function provides freedom when setting up. The projector can illuminate an image width of up to 868 cm thanks to its 7300 Ansi lumens. The projector can create rooms with residual light with a smaller image width, we recommend a maximum of 579 cm. It is also Full HD 1080P and 3D compatible. The projector was launched in 2014 and is no longer sold by the manufacturer.

Brief Introduction

Beta 2.5

Display Type



1 x DLP Chip

WUXGA 16/9 Ti Digital Light Processing Chip

Ansi-Lumen

7300

3244 Lux (bei 200 cm Screen)

Contrast

3000:1 full on/off

3000:1 full on/off

Black Level

2,4333 min. Lumen

1,082 min. Lumen

Lens shift

Vert.: +50% -0% Hori.: +/-10%

Resolution

WUXGA 1920 x 1200

2.304.000 Pixel

Video Modes

Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 3D, EDTV 480p, 576p

3D Compatibility

Frame-Packing (Full HD 3D) | Side-by-Side | Top-and-Bottom

Frame Sequential (3D Ready)

Application

Stationary | Permanent installation in the training room and meeting room as well as the conference room.

Very large screen width and rooms with plenty of light and shaded daylight.

Light Source

2 x 350W Lamp

Light Life

Article Nr.: 3797802500-SVK

2000 h. 2500 h. in Eco Mode

Operating Costs

18% / 0,63 €

Focus

-

Zoom

Powered

Objective

optional

Throw Ratio

optional

Audio

Nein

Connections

HDMI 1.4a in

DVI-D in

D-sub 15pin in und out

5 x BNC RGBHV in

USB in

RS232C Din 9 pin in

RJ45 mit HDBaseT in

Ceiling Mounting

Yes, is possible.

Power


870 / 660W in Eco Mode

Size WxHxD

510 x 230 x 540 mm (20,1"x9,1"x21,3") 63,34 L/dm³

Operating Noise

43 / 39 dB in Eco Mode



Weight

20,00 kg / 44,09 lbs.

Keystone

Vert.: +/-30°

Illumination	85%
Frequenz	H-sync: 15-108 kHz V-sync: 48-120 Hz
Foot-Lamberts	301 fL / max. 868 cm screen width 1031 cd/m²
Features	Real Full HD 3D Full HD 1080P compatible Lens shift Funktion Eco Mode Lan network compatible.
Screen Mirroring	-



Optional accessories			
	Nackte Lampe	NLMP22703	186,58 €
	Lampe Ruby	Ruby-LMP22703	207,10 €
	Lampe Original	3797802500-SVK	630,13 €
	Kompatible Lampe	LMP-K22701	110,25 €
	Objektiv Original	3797745100-SVK / D88-WF18501	EOL €
	Objektiv Original	3797804200-SVK / D88-UWZ01	EOL €
	Objektiv Original	3797745400-SVK	EOL €
	Objektiv Original	3797745000-SVK	EOL €
	Objektiv Original	3797745100-SVK / D88-WF18501	EOL €
	Objektiv Original	3797744900-SVK	EOL €
	Objektiv Original	3797744200-SVK	EOL €
	Objektiv Original	3797745200-SVK	EOL €
	Fernbedienung Original	5041844300	71,04 €
	Deckenhalterung Länge 225 mm	Halterung45	85,80 €

Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
3797804200-SVK / D88-UWZ01	0.75-0.93:1	1.5-1.9 m	50%	+/-10%	Powered
3797745400-SVK / D88-LOZ101	3.58-5.38:1	7.2-10.8 m	50%	+/-10%	Powered
3797745200-SVK / D88-WZ01	1.25-1.79:1	2.5-3.6 m	50%	+/-10%	Powered
3797745000-SVK / D88-SMLZ01	2.22-3.67:1	4.4-7.3 m	50%	+/-10%	
3797744900-SVK / D88-LOZ201	5.31-8.26:1	10.6-16.5 m	50%	+/-10%	Powered
3797744200-SVK / D88-ST001	1.73-2.27:1	3.5-4.5 m	50%	+/-10%	Powered
Fix Optional Lenses					
3797745100-SVK / D88-WF18501	0.76:1	1.5 m	0.0% Fix		No Zoom

Status	2014 Discontinued (EOL) // Last update of the data: 2025-03-03
Data	Created: 2014-05-05 14:33:51

More Details



HCinema

<https://www.projector-database.com/pro/vivitekdu6871-en.html>

Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.