

Vivitek LU6663N

VIVITEK LU6663N



A brief introduction to the LU6663N: The Vivitek 3D laser DLP projector offers 7000 Ansi lumens, a contrast of 20000:1 and a WUXGA 1920 x 1200 resolution. The manufacturer specifies a laser service life of 20000 hours, which is over 13.7 years with a daily viewing time of 4 hours. The integrated lens shift gives freedom when positioning the projector. 7000 Ansi lumens ensure that a picture width of 850 cm is also possible. The projector creates rooms with residual light with a smaller image width, we recommend a maximum of 567 cm. Furthermore, the projector can play 1080P and 4K (compressed) as well as 3D without any problems, and therefore all currently available Blu-ray formats can be recognized by the projector. It was launched in 2019 and is no longer offered by the manufacturer Vivitek.



1 x 0,67" DLP Chip

WUXGA 16/9 Ti Digital Light Processing Chip

Display Type	Projector	7000	3111 Lux (bei 200 cm Screen)
Ansi-Lumen		20000:1 full on/off	20000:1 full on/off
Contrast		0,3500 min. Lumen	0,156 min. Lumen
Black Level		Vert.: +55% -15% Hori.: +/-5%	
Lens shift		WUXGA 1920 x 1200	
Resolution		2.304.000 Pixel	
Video Modes		UHD (4K2K) 3840 x 2160 compressed	
3D Compatibility		Pal, SECAM, NTSC, HDTV 720p, 1080i, 1080p, 4K UHD (komprimiert), 3D, EDTV 480p, 576p	
Application		Frame-Packing (Full HD 3D) Side-by-Side Top-and-Bottom	
		Stationary Permanent installation in the training room and meeting room as well as the conference room.	
Light Source		Very large screen width and rooms with plenty of light and shaded daylight.	
Light Life		Laser-Phosphor	
		20000 h.	

Operating Costs 0,00 € Laser

Focus Manual


Zoom Manual 1,31

Objective optional

Throw Ratio optional

Audio 2 x 10W

Connections
2 x HDMI 1.4 in
1 x DVI-D in
5 x BNC RGBHV in
D-sub 15pin in und out
RS232C Din 9 pin in



Brief Introduction
Beta 2.5

Cinch Stereo min
USB Typ A,B
RJ45 in
HDBaseT in
3D-Sync in und out
12V Trigger out
Ceiling Mounting Yes
Power 630 / 520W in Eco Mode
Size WxHxD 517 x 202 x 470 mm (20,4"x8"x18,5") 49,08 L/dm³
Operating Noise 33 / 30 dB in Eco Mode


Weight 23,00 kg / 50,71 lbs.
Keystone Vert.: +/-30°
Hori.: +/-25°
Illumination -
Frequenz H-sync: 15-90 kHz
V-sync: 50-85 Hz
Foot-Lamberts 289 fL / max. 850 cm screen width
990 cd/m²
Features

- Real Full HD 3D
- Full HD 1080P compatible
- Lens shift Funktion
- Eco Mode
- Warping
- 24/7 continuous operation capable
- Lan network compatible.
- Crestron®-Software compatible.

Please note Modell "WH" ist weiß.
Modell "BK" ist schwarz.

Optional Object lens original 5811120865-SVV / VL906G
Object lens original 5811119237-SVV / VL908G
Remote control original 5041846600

Order here: <https://www.hcinema.de/lampen/shop-en.php?id=hc1468>



Optional Lenses					
Name	Ratio	Distance	Shift V	Shift H	Zoom
Zoom Optional Lenses					
VL912G	1.25-1.6:1	2.5-3.2 m	55-15%	+/-5%	Powered
VL911G	0.77-1.1:1	1.5-2.2 m	55-15%	+/-5%	Powered
VL909G	3-5:1	6-10 m	55-15%	+/-5%	Powered
VL908G	1.93-2.9:1	3.9-5.8 m	55-15%	+/-5%	Powered
VL907G	1.1-1.3:1	2.2-2.6 m	55-15%	+/-5%	Powered
VL906G	1.54-1.93:1	3.1-3.9 m	55-15%	+/-5%	Powered
Fix Optional Lenses					
VL904G	0.77:1	1.5 m	55-15%	+/-5%	No Zoom

Status 2019 Discontinued (EOL) // Last update of the data: 2024-10-02
Created: 2023-08-25 10:48:57

Data



More Details



Hcinema

<https://www.projector-database.com/pro/viviteklu6663n-en.html>

