## **Wolf Cinema DCX 1000FD**









**Brief Introduction** Beta 2.5

A brief introduction to the DCX 1000FD: The Wolf Cinema high-end home cinema DLP projector offers 5500 Ansi lumens, a contrast of 50000:1 and HDTV 1920 x 1080 resolution. Including a lens shift function, which provides freedom during installation. A picture width of up to 753 cm is possible, if the picture width is smaller (we recommend max. 502 cm), rooms with residual light are also no problem. Playing 1080P is also no problem for the projector. The model was built by Wolf Cinema in 2009 and is no longer current. 3 x DLP Chip

Display Type

Ansi-Lumen

Contrast Black Level

Lens shift

ତ୍ର 5500 50000:1 full on/off ପ୍ର 0,1100 min. Lumen

Vert.: +/-59,5% Hori.: +/-21% HDTV 1920 x 1080

Resolution

Video Modes Disc Recognition

Application Light Source Light Life

**Operating Costs** 

Objective

Zoom

**Throw Ratio** 

Connections

Audio

**Focus** Powered

Powered

optional

optional

6 x HDMI 1.3 in 1 x out 2 x YUV in

1 x S-Video in

0

Ceiling Mounting Power Size WxHxD

**Operating Noise** 

Yes 1500W

759,5 x 307,3 x 1056,6 mm (29,9"x12,1"x41,6") 246,06 L/dm<sup>3</sup>

HDTV 16/9 Ti Digital Light Processing Chip

ω2444 Lux (bei 200 cm Screen) ด 50000:1 full on/off 9 0,049 min. Lumen

PAL, SECAM, NTSC, HDTV 720p, 1080i, 1080p EDTV 480p, 576p

DVD | HD Blu-ray | 3D Blu-ray | 4K UHD Blu-ray

High-End Homecinema | Wide screen width or rooms with plenty of light (over 200 lumens).

1000W Lamp

2.073.600 Pixel

2500 h. 4000 in Eco Mode

Lux:2444 Lux Room light max.:489 Lux Candela pro m<sup>2</sup>:778 cd/m<sup>2</sup> 67 cm Foot-Lamberts:227 fL

16/9 screen width:200 cm Screen:1 Gain

Weight -Keystone -Illumination -

Frequenz

Features

Foot-Lamberts 227 fL / max. 753 cm screen width

778 cd/m<sup>2</sup>

■ Full HD 1080P compatible

■ Lens shift Funktion

Freeze

■ Eco Mode

■ Gamma correction

■ Picture-in-Picture

■ Password protection

■ Remote control with laser pointer

## **Optional Lenses**

Shift: 66 cm

Shift: 66 cm

Shift: 42 c

Shift: 42 cm

Name	Ratio	Distance	Shift V	Shift H	Zoom
		Zoom Optional L	enses		
4.1-6.9:1	4.1-6.9:1	8.2-13.8 m	+/-59.5%	+/-21%	Powered
2.6-4.1:1	2.6-4.1:1	5.2-8.2 m	+/-59.5%	+/-21%	Powered
1.8-2.6:1	1.8-2.6:1	3.6-5.2 m	+/-59.5%	+/-21%	Powered
1.4-1.8:1	1.4-1.8:1	2.8-3.6 m	+/-59.5%	+/-21%	Powered
		Fix Optional Le	nses		
1.1:1	1.1:1	2.2 m	+/-10%	+/-10%	No Zoom
0.67:1	0.67:1	1.3 m	+/-10%	+/-10%	No Zoom
Status	2009 Discontinued (EOL) // Last update of the data: 2023-08-04				

More Details

Data





Due to our ongoing commitment to continuously improve the quality of our projector database, this brochure is also subject to change without notice. HCinema is not responsible for any errors or omissions contained in product descriptions.